

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information, Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503				
1. AGENCY USE ONLY (Leave Blank)		2. REPORT DATE 29 January 2002		3. REPORT TYPE AND DATES COVERED Final Technical 1 Mar 96 - 31 Oct 01
4. TITLE AND SUBTITLE An Acoustic Hemostasis Device for Advanced Trauma Care			5. FUNDING NUMBERS N00014-96-1-0630	
6. AUTHOR(S) Marilee Andrew Lawrence Crum				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Center for Industrial and Medical Ultrasound Applied Physics Laboratory, University of Washington Box 355640, 1013 NE 40 th St. Seattle WA 98105-6698			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research 800 N. Quincy St. Arlington VA 22217-5660 Attn. Dr. Jeannine Majde-Cottrell, Code 341			10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release				
13. ABSTRACT (Maximum 200 words) Research was conducted to develop acoustic hemostasis devices for advanced trauma care. Key accomplishments include: 1. Development of High Intensity Focused Ultrasound (HIFU) hardware. We have designed and built HIFU applicators ranging from single-element (water-, polymer- or solid material-coupled) transducers to a 32-element, 2-D annular array. We have successfully integrated imaging and therapy transducers to achieve a <i>real-time</i> ultrasound image-guided acoustic hemostasis capability. We have demonstrated successful <i>transcutaneous</i> image-guided HIFU treatment in animal models. 2. <i>In vitro</i> and <i>in vivo</i> studies. We have successfully demonstrated acoustic hemostasis <i>in vivo</i> in models for blunt and penetrating trauma, and for punctured vessels and arteries. We have conducted a variety of laboratory and <i>in vitro</i> experiments to further our understanding of the mechanisms of acoustic hemostasis. We have developed novel techniques to detect and target bleeding sites. 3. Development of simulation capabilities. Sophisticated models have been developed to predict HIFU pressure and temperature fields and study cavitation dynamics. These aid in the design of applicators and treatment protocols, as well as in improving our understanding of the physical and biological mechanisms associated with therapeutic ultrasound. The period of performance of the grant was from 1 March 1996 to 31 October 2001.				
14. SUBJECT TERMS High Intensity Focused Ultrasound (HIFU), medical acoustics, acoustic therapy, therapeutic ultrasound			15. NUMBER OF PAGES 20	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT Unlimited	

20020205 108

FINAL TECHNICAL REPORT FOR ONR GRANT N00014-96-1-0630
"AN ACOUSTIC HEMOSTASIS DEVICE FOR ADVANCED TRAUMA CARE"

Lawrence A. Crum, Principal Investigator

prepared by Marilee Andrew and Lawrence Crum

I. Background

Under this grant research was conducted to develop an instrument capable of both detecting and arresting bleeding using ultrasound. The proposed use is for battlefield trauma, although the technology has clear applications in civilian emergent care. The period of performance of the grant was from 1 March 1996 to 31 October 2001.

II. Accomplishments

A. Executive Summary

This project has been an extremely successful one as demonstrated by the following:

- An entirely new medical technique for the treatment of trauma has been developed: *Acoustocautery*.
- Over 50 papers have been published, including a number of review articles in prestigious journals. Eight Ph.D. and three M.S. degrees were awarded to students supported by this grant.
- 7 Patents have already been issued and numerous invention disclosures and preliminary applications are in process.
- This Intellectual Property (IP) base has resulted in the creation of two new start-up companies (Therus, Inc. and UST, Inc., both in Seattle, WA), as well as research partnerships between the University of Washington and several other companies (Ekos, Inc., Bothell, WA; Focus Surgery, Inc., Indianapolis, IN; Diagnostic Ultrasound, Inc., Redmond, WA; Sonic Concepts, Woodinville, WA; and Sanus Medical Systems, Inc., Oxford, MS).
- This primarily 6.1/6.2 effort has been transitioned to existing 6.3 projects in both the Navy and Army. Both the Navy and Army have listed Acoustocautery as Science and Technology Objectives in their POMs; prototype devices are scheduled for human trials in the immediate future.

B. Hardware, Software and Demonstrations

B.1 HIFU systems

A variety of transducers and HIFU applicator systems were built under this project. These range from single-element transducers, with and without water or solid material couplers, to a sophisticated 32-element phased array. A few examples are shown in Figure 1.




Figure 1. Hardware developed under grant N00014-96-0630. (a) Curved, single-element transducers, shown with coupling cones that can be filled with water, suitable for laboratory and animal studies. (b) Single-element transducer coupled with a solid aluminum cone, suitable for intra-operative animal studies and one of the prototypes for the intra-operative solid cone development effort. Units shown in (a) and (b) have fixed frequencies from 1-10MHz and fixed focal depths from 35-55mm. (c) and (d) Integrated imaging and therapy applicator. The larger outer region of this device consists of a 2-D, 32-element annular array that delivers the HIFU therapy. This array is optimized for 2.2MHz operation with variable focal depth of 50-80mm. Embedded within the center of the therapy array is a commercial imaging transducer (ATL P7-4).

B.2 Simulation Efforts

A 2-D full-wave, fully nonlinear acoustic model was developed as part of a Ph.D. dissertation (see [Curra](#) under the list of student theses in Section II.E). Figure 2 below illustrates how simulation can help in applicator design and treatment planning.




Figure 2. Continuous wave simulation that depicts the time-averaged acoustic intensity and heat rate generated by a 1 MHz line array with a 3.5 cm aperture focused at 4.3 cm. The source is at the left edge of the water layer (W) and the focal volume (red) is located in a layer of liver (L). Two intervening layers of skin (S) and muscle (M) are included in the propagation path. A thermal lesion is confined to the focal volume. This simulation illustrates that different tissue types absorb acoustic energy at different rates, and hence, a HIFU treatment protocol must select a duty-cycle that eliminates collateral damage.

B.3 Treatment Demonstrations

A variety of *in vitro* and *in vivo* tests were conducted over the course of the project in order to characterize and improve therapy applicator performance, better understand the physical and biological mechanisms of acoustic hemostasis, and assess the efficacy of HIFU treatment. A key finding is that image-guided acoustic therapy can dramatically reduce the time required to arrest hemorrhage. Extensive *in vivo* studies have demonstrated that HIFU can stop bleeding in traumatic injuries such as punctured arteries, severed capillary beds and fractured organs. Figure 3 provides a demonstration of the effectiveness of transcutaneous acoustic hemostasis in a bleeding vessel.




Figure 3. Targeting a bleeding pelvic vessel using an integrated imaging/therapy system. (a) The vessels were identified using color Doppler. The vessels were severed using a scalpel, and (b) gray-mode was activated. (c) HIFU treatment using ultrasound image-guidance was applied. (d) Color Doppler assessment after successful treatment and hemostasis showed patent vessels. The bleeding was arrested completely within 70 seconds.

B.4 Subcontracts

Under the Boston University Subcontract, a program focused on the application of high-intensity focused ultrasound to medical therapy was developed. The program, which was started from scratch, resulted in a fully equipped HIFU laboratory, three PhD dissertations (with a third in progress – see bibliography), and a number of spin-off projects and collaborations in biomedical ultrasound. As for technical accomplishments, Boston University collaborators have developed a first-order model for cavitation dynamics in viscoelastic media, and have taken major steps towards quantifying the role that bubbles and cavitation play in mediating and enhancing acoustic hyperthermia. Boston University has also developed a computational ability to predict the 3-D nonlinear pressure fields from focused transducers and compute the resulting 3-D temperature field, taking into account acoustic streaming, cavitation, arbitrary convective flow, boundaries, and media inhomogeneity. This model has been validated through extensive comparison with experiments performed with a flow-through phantom. Ongoing work includes an

experimental and computational study of the role that surface waves play in enhancing hyperthermia and in establishing an equilibrium bubble size distribution for sustained HIFU-induced cavitation in a tissue.

C. Intellectual Property

Note that detailed information regarding UW intellectual property resulting from this research has been reported to ONR Code 00CC1 on form DD 882 "Report of Inventions and Disclosures." Patent activity only is summarized below.

Three patents filed by THS International Inc. (on behalf of our industrial collaborator, Focus Surgery, Inc.) were relevant to this research and are listed in Table 1 below. Subsequent University of Washington Intellectual Property developed under the grant is listed in Table 2.

Table 1. Intellectual Property Filed by UW's Industrial Partner			
U.S. Patent No.	Date Awarded	Title	Authors
5,882,302	16 MAR 1999	"Methods and Devices for Providing Acoustic Hemostasis"	Driscoll T, Crum L, Law W, DeMarta S
5,993,389	30 NOV 1999	"Devices for Producing Acoustic Hemostasis",	Driscoll T, Crum L, Law W, DeMarta S
6,083,159	04 JUL 2000	"Methods and Devices for Providing Acoustic Hemostasis"	Driscoll T, Crum L, Law W, DeMarta S

Table 2. Intellectual Property Filed by the University of Washington			
U.S. Patent No.	Date Awarded	Title	Authors
6,217,530	17 APR 2001	"Ultrasound applicator for medical applications"	Martin RW, Brentnall, M, Proctor A
6,007,499	28 DEC 1999	"Method and Apparatus for Medical Procedures using High-Intensity Focused Ultrasound"	Martin RW, Crum LA, Veazy S, Carter SJ, Helton WS, Caps M, Kaczkowski P, Proctor A, Keilman G
6,315,741	13 NOV 2001	"Method and Apparatus for Medical Procedures using High-Intensity Focused Ultrasound"	Martin RW, Crum LA, Veazy S, Carter SJ, Helton WS, Caps M, Kaczkowski P, Proctor A, Keilman G
6,042,556	28 MAR 2000	"Method for Determining Phase Advancement of Transducer Elements in High Intensity Focused Ultrasound"	Beach KW, Brown K, Plett M, Caps M

D. Degrees and Fellowships Conferred

The following individuals earned degrees through funding provided in whole or in part by this project (see Bibliography for thesis titles):

John Allen, Ph.D., 1997.

Susannah Bloch, M.S., 1998.
 Mark D. Brentnall, M.S., 1999.
 Francesco Curra, Ph.D., 2001.
 P. Edson, Ph.D., 2001.
 J. Hwang, Ph.D., 2002.
 Melanie Plett, Ph.D., 2001.
 Sandra Poliachik, Ph.D., 2001.
 Xuegong Shi, Ph.D. 2001.
 Jonathan Yuen, M.S., 2001
 Jong-Tae Yuk, Ph.D., 2000.

The following individual's Post-Doctoral Fellowship was funded in part by this project:

Dr. Cyril Lafon.

The following students are continuing research efforts that were initiated under this project:

Ajay Anand, Ph.D. candidate
 George Barrett, Ph.D. candidate
 Tyrone Porter, Ph.D. candidate

E. Publications

Refereed Journal Articles

Refereed Articles - 1996

Roy R. Facets of Medical Ultrasound. *Echoes* 1996; 6(3): 1-5.

Refereed Articles - 1997

Allen J, Roy R, and Church C. On the role of shear viscosity in mediating inertial cavitation from short-pulse, megahertz-frequency ultrasound. *IEEE UFFC* 1997; 44: 743-751.

Beach K, Comess K, Primozich J, Yuan C, Powell K, Phillips D, Dunmire B, Plett M, Brown K, Paun M, and Strandness D. Ultrasonic color flow mapping: The visualization of four-dimensional cardiac and vascular flow phenomena using two dimensions and "real time." *Ultrasound Med Biol.* 1997; 23 (3): 347-363.

Vaezy S, Martin R, Schmiedl U, Caps M, Taylor S, Beach K, Carter S, Kaczkowski P, Keilman G, Helton S, Chandler W, Mourad P, Rice Col M, Roy R, and Crum L. Liver hemostasis by high intensity focused ultrasound. *Ultrasound Med. Biol.* 1997; 23(9). 1413-1420.

Hallaj I, Cleveland R, Kargl S, and Roy R. FDTD simulation of transcranial focusing using ultrasonic phase-conjugate arrays. In *Acoustical Imaging* (S. Lees and L. Ferrari eds, Plenum Press, New York) 1997; 23:61-66, (1997).

Refereed Articles - 1998

Allen J and Roy R. Bubble dynamics in non-Newtonian fluids. *Proceedings of the joint meeting of the 16th International Congress on Acoustics and the 135th Meeting of the Acoustical Society of America.* (P. Kuhl and L. Crum, eds.) 1998; 4: 2283-2284.

Bloch S, Bailey M, Crum L, Kaczkowski P, Mourad P, and Keilman G. Measurements of sound speed in excised tissue over temperatures expected under high intensity focused ultrasound conditions. *Proceedings of the joint meeting of the 16th International Congress on Acoustics and the 135th Meeting of the Acoustical Society of America.* (P. Kuhl and L. Crum, eds.) 1998; 2: 1065-1066.

Chang P, Makin I, and Crum L. Acoustic and system parameters affecting destruction of ultrasound contrast agents. *Proceedings of the joint meeting of the 16th International Congress on Acoustics and the 135th Meeting of the Acoustical Society of America.* (P. Kuhl and L. Crum, eds.) 1998; 4:2191-2192.

Chang P, Chen WS, Mourad P, Poliachik S, and Crum L. Ultrasound contrast agents: present but not seen. *IEEE Sym. Proceedings* 1998; 2: 1795-1798.

Crum L, Bailey M, Kaczkowski P, Makin I, Mourad P, Beach K, Carter S, Schmiedl U, Chandler W, Martin R, Vaezy S, Keilman G, Cleveland R, and Roy R. Therapeutic ultrasound: A promising future in clinical medicine. *Proceedings of the joint meeting of the 16th International Congress on Acoustics and the 135th Meeting of the Acoustical Society of America.* (P. Kuhl and L. Crum, eds.) 1998; 2: 719-720.

Curra F, Mourad P, Cleveland R, Khokhlova V, and Crum LA. Numerical simulations of tissue heating created by high intensity focused ultrasound. *Proceedings of the joint meeting of the 16th International Congress on Acoustics and the 135th Meeting of the Acoustical Society of America.* (P. Kuhl and L. Crum, eds.) 1998; 2; 1059-1060.

Curra F, Mourad P, Khokhlova V, and Crum L. High intensity focused ultrasound and tissue heating: the effect of nonlinear sound propagation and vessel presence. *IEEE Ultrasonics Symp. Proc.* 1998; 2: 1419-1422.

Hallaj I, Cleveland R, Roy R, and Kargl S. Time domain propagation of pulsed ultrasound through a tissue-like material. *Proceedings of the joint meeting of the 16th International Congress on Acoustics and the 135th Meeting of the Acoustical Society of America.* (P. Kuhl and L. Crum, eds.) 1998; 3: 1863-1864.

Holt R, Cleveland R, and Roy R. Optimal acoustic parameters for induced hyperthermia from focused MHz ultrasound: Phantom measurements with fluid flow and bubble activity.

Proceedings of the joint meeting of the 16th International Congress on Acoustics and the 135th Meeting of the Acoustical Society of America. (P. Kuhl and L. Crum, eds.) 1998; 2: 1057-1058.

Khokhlova V, Averkiou M, Younghouse S, Hamilton M, and Crum L. Fast spectral algorithm for modeling focused sound beams in a highly nonlinear regime. Proceedings of the joint meeting of the 16th International Congress on Acoustics and the 135th Meeting of the Acoustical Society of America. (P. Kuhl and L. Crum, eds.) 1998; 4: 2875-2876.

Martin R, Vaezy S, Helton S, Caps M, Kaczkowski P, Keilman G, Carter S, Chandler W, Mourad P, Beach K, and Crum L. Acoustic liver cauterization: A potential tool for bloodless surgery. Proceedings of the joint meeting of the 16th International Congress on Acoustics and the 135th Meeting of the Acoustical Society of America. (P. Kuhl and L. Crum, eds.) 1998; 1: 721-722.

Plett M, Beach K, Paun M, et al. using doppler ultrasound to examine wall vibrations and flow velocity fluctuations in arteries. J. Acoust Soc Am. 1998b; 103 (5).

Poliachik S, Mourad P, Chandler W, and Crum L. Effect of high intensity focused ultrasound on whole blood with and without contrast agents. IEEE Ultrasonics Symp. Proc. 1998; 2: 24-29.

Poliachik S, Chandler W, Mourad P, Bloch S, Bailey M, Cleveland R, Kaczkowski P, Keilman G, Porter T, and Crum L. Ex-vivo studies of the effects of high intensity focused ultrasound on whole blood. Proceedings of the joint meeting of the 16th International Congress on Acoustics and the 135th Meeting of the Acoustical Society of America. (P. Kuhl and L. Crum, eds.) 1998; 1: 727-728.

Vaezy S, Martin R, Kaczkowski P, Keilman G, Carter S, Caps M, and Crum L. Occlusion of blood vessels using high intensity focused ultrasound. Proceedings of the joint meeting of the 16th International Congress on Acoustics and the 135th Meeting of the Acoustical Society of America. (P. Kuhl and L. Crum, eds.) 1998; 2: 1061-1062.

Vaezy S, Martin R, Yaziji H, Kaczkowski P, Keilman G, Carter S, Caps M, Chi E, Bailey M, and Crum L. Hemostasis of punctured blood vessels using high-intensity focused ultrasound. Ultrasound Med Biol. 1998; 24(6): 903-910.

Refereed Articles - 1999

Poliachik S, Chandler W, Mourad P, Bailey M, Bloch S, Cleveland R, Kaczkowski P, Keilman G, Porter T, and Crum L. Effect of high intensity focused ultrasound on whole blood with and without microbubble contrast agent. Ultrasound Med Biol. 1999; 25 (6): 991-999.

Roy R. Fundamentals of cavitation sonophysics. In Sonochemistry and Sonoluminescence (L.Crum et. al. eds, Kluwer Acad., Dordrecht, Netherlands) 1999; NATO ASI Series C: Vol. 524: 25-38.

Martin R, Vaezy S, Kaczkowski P, Keilman G, Carter S, Caps M, Beach K, Plettt M, and Crum L Hemostasis of punctured vessels using Doppler-guided high-intensity ultrasound *Ultrasound Med Biol.* 1999; 5 (6): 985-990.

Schmiedl U, Carter S, Martin R, Eubank, W, Winter, T, Chang P, Bauer A, and Crum L. Sonographic detection of acute parenchymal injury in an experimental porcine model of renal hemorrhage: Gray-scale imaging using a sonographic contrast agent *Applied Journal of Radiology* 1999; 173: 1289-1294.

Shi X, Martin R, Rouseff D, Vaezy S, and Crum L. Detection of high intensity focused ultrasound liver lesions using dynamic elastometry. *Ultrasonic Imaging* 1999; 21 (2): 107-126.

Vaezy S, Martin R, Keilman G, Kaczkowski P, Chi E, Yazaji E, Caps M, Poliachik S, Carter S, Sharar S, Cornejo C, and Crum L. Control of splenic bleeding by using high intensity ultrasound. *J Trauma* 1999; 47 (3): 521-525.

Vaezy S, Martin R, Kaczkowski P, Keilman G, Goldman B, Yaziji H, Carter S, Caps M, and Crum L. Use of high-intensity focused ultrasound to control bleeding. *J Vasc. Surg.* 1999; 29 (3): 533-542.

Vaezy S, Martin R, Mourad P, Crum L. Hemostasis using High Intensity Focused Ultrasound. *European J. of Ultrasound* 1999; 9: 79-87.

Refereed Articles - 2000

Allen J and Roy R. Dynamics of gas bubbles in viscoelastic fluids I. Linear viscoelasticity. *J. Acoust. Soc. Am.* 2000; 107 (6): 3167-3178.

Allen J and Roy R. Dynamics of gas bubbles in viscoelastic fluids. II. Nonlinear viscoelasticity." *J. Acoust. Soc. Am.* 2000; 108: 1640.

Brayman A (Section Leader), Delecki D, Wible J, Wu J, Abramowicz J, Meltzer R, and Porter T. Mechanical bioeffects in the presence of gas-carrier ultrasound contrast agents. In: J Fowlkes , and C Holland, eds., *Mechanical Bioeffects From Diagnostic Ultrasound: Consensus Statements.* *J Ultrasound Med.* 2000; 19(2): 120-142.

Chang P, Chen W, Mourad P, Poliachik S and Crum L. Thresholds for inertial cavitation in Albunex suspensions under pulsed ultrasound conditions. *IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control* 2000; 48 (1): 161-170.

Curra F, Mourad P, Khokhlova V, Cleveland R, and Crum L. Numerical simulations of heating patterns and tissue temperature response due to high intensity focused ultrasound fields. *IEEE Trans UFFC* 2000; 47 (4): 1077-1089.

Dunmire B, Beach K, Labs K, et al. Cross-beam vector Doppler ultrasound for angle-independent velocity measurements. *Ultrasound Med Biol.* 2000; 26 (8): 1213-1235.

Hallaj I, Cleveland R, Barbone P, Kargl S, and Roy R. Amplitude degradation of time-reversed pulses in nonlinear absorbing thermoviscous fluids. *Ultrasonics* 2000; 38 (9): 885-889.

Kwok C, Mourad P, Crum L, and Ratner B. Surface modification of polymeric slab surfaces with self-assembled monolayer and its characterization with multi-surface-analytical techniques. *Biomacromolecules* 2000; 1 (1): 139-148.

Miller M, Sherman T, and Brayman A. Comparative sensitivity of human and bovine Erythrocytes to sonolysis by 1 MHz ultrasound. *Ultrasound Med Biol.* 2000; 26: 1317-1326.

Vaezy S, Fujimoto V, Walker C, Martin R, Chi E, and Crum LA. Treatment of uterine fibroid tumors in a nude mouse model using high intensity focused ultrasound. *Am J Ob Gyn.* 2000; 183: 6-11.

Refereed Articles - 2001

Bailey M, Couret L, Sapozhnikov O, Khokhlova V, ter Haar G, Vaezy S, Shi X, Martin R, and Crum L. Use of overpressure to assess the role of bubbles in focused ultrasound lesion shape in vitro. *Ultrasound Med Biol.* 2001 May; 27 (5): 695-708.

Brentnall M, Martin R, Vaezy S, Kaczkowski P, Forster F, and Crum L. A new high intensity focused ultrasound applicator for surgical applications. *IEEE Trans Ultrason Ferroelectr Freq Control* 2001 Jan; 48(1): 53-63.

Chang P, Chen W, Mourad P, Poliachik S, and Crum L. Thresholds for inertial cavitation in albnex suspensions under pulsed ultrasound conditions. *IEEE Trans Ultrason Ferroelectr Freq Control* 2001; 48(1): 161-70.

Holt R and Roy R. Measurements of bubble-enhanced heating from focused, MHz-frequency ultrasound in a tissue-mimicking material. *Ultrasound Med. Biol.* 2001; 27: 1399-1412.

Keshavarzi A, Vaezy S, Kaczkowski P, Keilman G, Martin R, Chi E, Garcia R, and Fujimoto V. Attenuation coefficient and sound speed in human myometrium and uterine fibroid tumors. *J Ultrasound Med.* 2001 ; 20(5): 473-80.

Mourad P, Lazar D, Curra F, Mohr B, Andrus K, Avellino A, McNutt L, Crum L, and Kliot M. Ultrasound accelerates functional recovery after peripheral nerve damage. *Neurosurgery* 2001; 48(5): 1136-40; discussion 1140-1.

Mourad P, Murthy N, Porter T, Poliachik S, Crum L, Hoffman A, Stayton P. Focused ultrasound and poly(2-ethylacrylic acid) act synergistically to disrupt lipid bilayers in vitro. *Macromolecules* 2001; 34(8): 2400-2401.

Plett M, Beach K, Dunmire B, Brown K, Primozich J, Strandness E. In vivo ultrasonic measurement of tissue vibration at a stenosis: a case study. *Ultrasound Med Biol.* 2001; 27(8): 1049-1058

Poliachik S, Chandler W, Mourad P, Ollos R, Crum L. Activation, aggregation and adhesion of platelets exposed to high-intensity focused ultrasound. *Ultrasound Med Biol.* 2001; 27(11):1567-1576.

Shi X, Martin R, Vaezy S, Kaczkowski P, and Crum L. Color Doppler detection of acoustic streaming in a hematoma model. *Ultrasound Med Biol.* 2001; 27(9): 1255-64.

Vaezy S, Martin R, and Crum L. Acoustic Surgery. *Physics World* 2001; 14(8): 35-39.

Vaezy S, Martin R, and Crum L. High intensity focused ultrasound: a method of hemostasis. *Echocardiography* 2001; 18 (4): 309-15.

Vaezy S, Shi X, Martin R, Chi E, Nelson P, Bailey M, and Crum L. Real-time visualization of high-intensity focused ultrasound treatment using ultrasound imaging. *Ultrasound Med Biol.* 2001; 27 (1): 33-42.

Books or Book Chapters

Crum, L A., Beach K, Carter S, Chandler W, Curra F, Kaczkowski P, Keilman G, Khokhlova V, Martin R, Mourad P, and Vaezy S. (2000) Acoustic Hemostasis. In: W. Lauterborn and T. Kurz, (eds.), "Nonlinear Acoustics at the Turn of the Millennium," Am. Inst. Of Physics, ISNA 15, (New York), pp. 13-22.

Langer S, Carter S, Haynor D, Maravella K, Mattes B, Strandness E, and Stewart B. Chapter Title: Image Acquisitions (Ultrasound, CT, MRI). *World Progress Symposium/World Journal of Surgery*, "Information Age Technologies for the Surgeon," accepted for publication, 2000.

Mourad P. (1999) Biological effects of ultrasound. In: Webster, J. L. (editor), "Encyclopedia of Electronics and Electrical Engineering," John Wiley & Sons (Philadelphia), V2, pp. 368-386.

Vaezy S, Martin R, Kaczkowski P, Keilman G, Goldman B, Yaziji H, Carter S, Caps M, Crum L. Use of High Intensity Focused Ultrasound to Control Bleeding. Yearbook of Vascular Surgery 2000.

Vaezy S, Andrew M, Kaczkowski P, and Crum L. Image-guided acoustic therapy. Annu Rev Biomed Eng. 2001; 3: 375-90.

Student Theses

Allen J. Nonlinear Oscillations of Gas Bubbles in Viscous and Visco-elastic Fluid. Ph.D. Dissertation, University of Washington, December 1997.

Bloch S. Ultrasonic Tissue Characterization: Towards High-Intensity Focused Ultrasound Treatment Monitoring. M.S. Thesis, University of Washington, 1998.

Brentnall M. A New Solid-Cone High Intensity Focused Ultrasound Applicator for Acoustic Hemostasis. M.S. Thesis, University of Washington, 1999.

Curra F. Medical Ultrasound Algorithm for Noninvasive High Intensity Ultrasound Applications. Ph.D. Dissertation, University of Washington, August 2001.

Edson P. The Role of Acoustic Cavitation in Enhanced Ultrasound-Induced Heating in a Tissue-Mimicking Phantom. PhD Dissertation, Boston University, January 2001.

Huang J. High Intensity Focused Ultrasound Hyperthermia in Non-Uniform Flow-Through Tissue Phantoms. PhD Dissertation, Boston University, January 2002.

Plett M. Ultrasonic Arterial Vibrometry with Wavelet Based Detection and Estimation. Ph.D. Dissertation, University of Washington, 2000.

Poliachik S. An Investigation of the Mechanisms of High Intensity Focused Ultrasound Induced Platelet Activity. Ph.D. Dissertation, University of Washington, 2002.

Shi X. Doppler Ultrasound Detection of Tissue Motion and Flow Generated by External Energy, Ph.D. Dissertation, University of Washington 2000,

Yuen J. Characterization of Lesion Formation in a Tissue-mimicking Phantom for Focused Ultrasound Surgery, M.S. Thesis, University of Washington, December 2001.

Yuk J. Hemorrhage and Aortic Aneurysm Detection in the Abdomen, Using 3d Ultrasound Imaging, Ph.D. Dissertation, University of Washington, November 2000.

Technical Reports

Mourad, PD and SG. Kargl. Acoustic Properties of Fluid-Saturated Blood Clots. APL- UW TR 2003 (2000).

Abstracts, Posters & Presentations

Abstracts & Presentations - 1996

Allen J and Roy, R. "An analytical and numerical study of nonlinear bubble oscillations in viscoelastic fluids," presented at the 131st Meeting of the Acoustical Society of America, Indianapolis, IN, May 1996.

Roy, R. "The demographics of cavitation produced by medical ultrasound," presented at the 131st Meeting of the Acoustical Society of America, Indianapolis, IN, May 1996. (Invited Paper)

Roy, R. "Cavitation and bubble detection," presented at the Allerton Park Conference for Ultrasonics in Biophysics and Bioengineering, Univ. of Illinois at Urbana-Champaign, May 1996. (Invited Paper)

Abstracts & Presentations - 1997

Hallaj I, Kargl S, and Roy R. "Transcranial focusing with phase conjugate arrays," presented at the 23rd International Symposium on Acoustic Imaging, Boston, MA, April 1997.

Roy R. "Some basic concepts in acoustics," presented at the NATO Advanced Study Institute on Sonochemistry, Leavenworth, WA, August 1997. (Invited Paper)

Roy R. "Fundamentals of cavitation sonophysics," presented at the NATO Advanced Study Institute on Sonochemistry, Leavenworth, WA, August 1997. (Invited Paper)

Roy R. "The detection and manipulation of transient microcavitation," seminar presented at the Department of Chemical Engineering, Massachusetts Institute of Technology, Cambridge, MA, December 1997. (Invited Paper)

Abstracts & Presentations - 1998

Allen J and Roy R. "Bubble dynamics in non-Newtonian fluids," J. Acoust. Soc. Am. 103(5 pt. 2), 3013 (1998).

Holt R and Roy R. "Optimal acoustic parameters for induced hyperthermia from focused MHz ultrasound: Phantom measurements with fluid flow and bubble activity," J. Acoust. Soc. Am. 103(5 pt. 2), 2867 (1998).

Chang P, Chen W, Mourad P, Poliachik S, and Crum L. "Ultrasound contrast agents: present but not seen," IEEE International Ultrasonics Symposium, 5-8 October 1998, Sendai, Japan.

Crum L, Bailey M, Kaczkowski P, Makin I, Mourad P, Beach K, Carter S, Schmiedl U, Chandler W, Martin R, Vaezy S, Keilman G, Cleveland R, and Roy R. Therapeutic ultrasound: A promising future in clinical medicine, J. Acoust. Soc. Am. 103(5 pt. 2), 2808 (1998).

Curra F, Mourad P, Khokhlova V, and Crum L. High intensity focused ultrasound and tissue heating: the effect of nonlinear sound propagation and vessel presence, IEEE International Ultrasonics Symposium, 5-8 October 1998, Sendai, Japan.

Edson P, Holt R, and Roy R. Bubble-mediated hyperthermia in an instrumented tissue phantom, J. Acoust. Soc. Am. 104(3 pt. 2), 1844 (1998).

Hallaj I, Cleveland R, Roy R, and Kargl S. Two dimensional nonlinear propagation of pulsed ultrasound through a tissue-like material, J. Acoust. Soc. Am. 103(5 pt. 2), 2963 (1998).

Hallaj I, Cleveland R, Roy R, and Holt R. Coupled thermal-acoustic simulation results with temperature-dependent tissue parameters for therapeutic ultrasound, J. Acoust. Soc. Am. 104(3 pt. 2), 1844 (1998).

Hwang J, Quistgaard J, Souquet J, and Crum L. Portable ultrasound device for battlefield trauma, IEEE International Ultrasonics Symposium, 5-8 October 1998, Sendai, Japan.

Poliachik S, Mourad P, Chandler W, and Crum L. Effect of high intensity focused ultrasound on whole blood with and without contrast agents, IEEE International Ultrasonics Symposium, 5-8 October 1998, Sendai, Japan.

Roy, R. "The Physics of Bubbles," presented at the Allerton Park Conference for Ultrasonics in Biophysics and Bioengineering, Univ. of Illinois at Urbana-Champaign, May 1998. (Invited Paper)

Shi X, Martin R, Rouseff D, Vaezy S, and Crum L. "Detection of high-intensity focused ultrasound liver lesions using dynamic elasticity," presented at the 23rd International Symposium on Ultrasonic Imaging and Tissue Characterization, (Arlington, VA) May, 1998.

Abstracts & Presentations - 1999

Connors B, Evan A, Bailey A, Crum L, McAteer J, Williams J, Willis L, and Lingeman J. "Modification of SWL waveform separates renal injury from hemodynamic response," presented at the 1999 Annual Meeting of the American Urological Association, Dallas, TX, April, 1999.

Chang P, Chen W, and Crum L. "Acoustic cavitation in the presence of microbubble contrast agents," presented at the 4th European Symposium on Ultrasound Contrast Imaging, Rotterdam, Jan 1999.

Edson P, Holt R, and Roy R. On the role of acoustic cavitation in enhancing hyperthermia from high-intensity focused ultrasound, *J. Acoust. Soc. Am.* 106(4 pt. 2), 2230 (1999).

Fujimoto V, Walker C, Keilman G, Martin R, Vaezy S, and Crum L. Successful high intensity focused ultrasound (HIFU) treatment of uterine fibroid tumors in a nude mouse model," American Society for Reproductive Medicine, (Toronto) September 1999.

Martin R, Vaezy S, Helton S, Caps M, Kaczkowski P, Carter S, Cornejo C, and Crum L. High intensity focused ultrasound (HIFU): A revolutionary means of facilitating liver resection. *Gastroenterology* 1999; 116 (4): S0164, Part 2.

Martin R, Vaezy S, Beach K Caps M, Kaczkowski P, Keilman G, Carter S, Chandler W, and Crum L. "Hemostatic treatment of punctured blood vessels with high intensity focused ultrasound," presented at the Annual meeting of the AIUM (American Institute of Ultrasound in Medicine), San Antonio, TX March, 1999.

Martin R, Brentnall M, Vaezy S, Kaczkowski P, and Crum L. "A practical high intensity ultrasound applicator for surgery using solid cones," IEEE International Ultrasonics Symposium, Lake Tahoe, Oct 1999.

Mourad P, Curra F, Lazar D, Avellino A, McNutt L, Andrus K, Kliot M, and Crum L. "Ultrasound accelerates functional recovery after peripheral nerve damage," IEEE International Ultrasonics Symposium, Lake Tahoe, Oct 1999.

Mourad P, Mesiwala A, Farrell L, Sokolov D, Vaezy S, Santiago P, Mayberg M, Silbergeld D, and Crum L. "Ultrasound accelerates functional recovery after peripheral nerve damage," IEEE International Ultrasonics Symposium, Lake Tahoe, Oct 1999.

Roy R. "Novel approaches for subsurface medical diagnostic imaging by ultrasound," International Society for Optical Engineering Conference No. 3752: Subsurface Sensors and Applications, Denver, CO, July 1999. (Invited Paper)

Shi X, Martin R, Vaezy S, and Crum L. "Color Doppler imaging of acoustic streaming in blood and clots." IEEE International Ultrasonics Symposium, Lake Tahoe, Oct 1999.

Vaezy S, Martin R, Helton S, Caps M, Kaczkowski P, Carter S, Cornejo C, Sharar S, Crum L. Acute bleeding from liver injury stopped by high intensity focused ultrasound, *Gastroenterology* 1999; 116 (4): S0305, Part 2.

Abstracts & Presentations - 2000

Huang J, Holt R, and Roy R. High intensity focused ultrasound hyperthermia in non-uniform flow-through tissue phantoms, *J. Acoust. Soc. Am.* 108(5 pt. 2), 2546 (2000).

Edson P, Holt R, and Roy R. Cavitation Enhanced Acoustic Hyperthermia, J. Acoust. Soc. Am. 108(5 pt. 2), 2518 (2000).

Chan A, Vaezy S, Martin R, Keilman G, and Fujimoto V. An Image Guided High Intensity Focused Ultrasound Device for Transvaginal Treatment of Uterine Fibroid Tumors, IEEE International Ultrasonics Symposium (2000).

Crum L, Bailey M, Carter S, Curra F, Kaczkowski P, Kargl S, Martin R, Mourad P, and Vaezy S, "Image-guided Acoustic Hemostasis." Symposium on Architectural Acoustics , II Ibero-American Congress of Acoustics, XXXI National Congress of Acoustics - TECNIACUSTICA 2000-, II Ibero-American Meeting on Ultrasonic and II Iberian Congress of Acoustics, Madrid, Spain, 16-20 October 2000.

Curra F, Mourad P, Khokhlova V, and Crum L. "3D full wave ultrasonic field and temperature simulations in biological tissue containing a blood vessel." 139th Meeting of the Acoustical Society of America, Atlanta, GA, May 30-June 3, 2000.

Curra, F, Mourad P, Kargl S, and Crum L. Theoretical predictions of ultrasound fields, temperature response, and lesion dynamics in biological tissue for the purpose of noninvasive disease treatment, J.Acoust.Soc.Am, 108, 2546 (2000).

Dunmire B and Beach K. "A brief history of vector Doppler." SPIEs International Symposium Medical Imaging 2001, San Diego, CA, USA.

Dunmire B, Beach K, Labs K, Paun M, Tschoeppel M. "Two-dimensional velocity map of a normal femoral bifurcation, and its implications for conventional pulsed Doppler ultrasound." SPIEs International Symposium Medical Imaging 2001, San Diego, CA, USA.

Dunmire B, Pagel G, Beach K, Labs K. "Post stenotic flow disturbances in a steady flow model." SPIEs International Symposium Medical Imaging 2001, San Diego, CA, USA.

Fujimoto V, Walker C, Paun M, Nelson P, and Vaezy S. "Preliminary study of in situ treatment of uterine leiomyomata in the Eker Rat using high intensity focused ultrasound (HIFU)." 56th Annual Meeting of the American Society for Reproductive Medicine (2000).

Lafon C, Bailey M, Couret L, Kaczkowski P, Sapozhnikov O, Brayman A, and Crum L. Real-time observation of inception and growth of HIFU-induced tissue lesions. J. of Acous. Soc. Am., Newport Beach, USA, 2000; 108: 2546.

Martin R, Vaezy S, Shi X, Kaczkowski P, Paun M, Beach K, and Crum L. "Real-time visualization of therapeutic ultrasound: Applied to acoustic hemostasis." 9th Congress of the World Federation for Ultrasound in Medicine and Biology, Florence Italy, 2000.

Poliachik S, Chandler W Mourad P, Ollos R, and Crum L. "Effect of high-intensity focused ultrasound on platelet aggregation, activation and adhesion." 9th Congress of the World Federation for Ultrasound in Medicine and Biology, Florence, Italy, 6-10 May 2000.

Poliachik S, Chandler W, Mourad P, Ollos R, and Crum, L. "Effect of high-intensity focused ultrasound on platelet activation, aggregation and adhesion." 2000 IEEE International Ultrasonics Symposium, San Juan, Puerto Rico, 22-25 October 2000.

Poliachik S, Chandler W, Mourad P, Ollos R, and Crum, L. "Platelet activity as a result of exposure to high intensity focused ultrasound." 140th Meeting Acoustical Society of America, Newport Beach, CA, 6 December 2000.

Roy R, Edson P, Huang J, and Holt R. "The role of acoustic cavitation in mediating and enhancing acoustic hyperthermia." Seminar presented at the Laboratoire Ondes et Acoustique, University of Paris, Paris, France, July 2000. (Invited Paper)

Roy R, Edson P, and Holt R. "The role of acoustic cavitation in enhancing hyperthermia from high-intensity focused ultrasound." Seminar presented at the National Center for Physical Acoustics, University of Mississippi, Oxford, MS, November 2000. (Invited Paper)

Roy R. When is a bubble a bubble: The subtleties of cavitation detection at MHz frequencies, J. Acoust. Soc. Am. 108(5 pt. 2), 2517 (2000). (Invited Paper)

Shi X, Martin R, Vaezy S, and Crum L. "Experimental investigation and finite element simulation of streaming in blood in cylindrical models." IEEE International Ultrasonics Symposium (2000).

Sapozhnikov O, Bailey M, Crum L, Cleveland R, Vaezy S, McAteer J, and Evan A. "In vivo detection of cavitation induced by lithotripsy shock waves in pig kidney." 9th Congress of the World Federation for Ultrasound in Medicine and Biology, Florence Italy (2000).

Vaezy S, Martin R, Shi X, Paun M, Beach K, Kaczkowski P, Keilman G, Carter S, Bailey M, and Crum L. "Hemostasis of catheter-induced femoral artery injuries using image-guided transcutaneous high intensity focused ultrasound." Annual Biomedical Engineering Society Meeting, Seattle, WA (2000).

Vaezy S, Keshavarzi A, Walker C, Martin R, and Fujimoto V. "High intensity focused ultrasound treatment of uterine leiomyosarcoma," IEEE International Ultrasonics Symposium (2000).

Vaezy S, Chan A, Goldman B, Martin R, Fujimoto V. "A treatment of uterine fibroids using high intensity focused ultrasound." A Video Presentation at the 56th Annual Meeting of the American Society for Reproductive Medicine (2000).

Vaezy S, Paun M, Nelson P, Walker C, and Fujimoto V. "Treatment of uterine fibroid tumors in Eker Rats using high intensity focused ultrasound." 9th Congress of the World Federation for Ultrasound in Medicine and Biology, Florence Italy (2000).

Abstracts & Presentations - 2001

Dunmire B and Beach K. "A brief history of vector Doppler." SPIEs International Symposium Medical Imaging 2001, San Diego, CA, USA (2001).

Dunmire B, Beach K, Labs K, Paun M, and Tschoeppel M. "Two-dimensional velocity map of a normal femoral bifurcation, and its implications for conventional pulsed Doppler ultrasound." SPIEs International Symposium Medical Imaging 2001, San Diego, CA, USA (2001).

Dunmire B, Pagel G, Beach K, Labs K. (2001). Post stenotic flow disturbances in a steady flow model. SPIEs International Symposium Medical Imaging 2001, San Diego, CA, USA.

C.K. Holland, R.A. Roy, P.W. Biddinger, C.J. Dimisile and C. Cawood, "Cavitation mediated rat lung bioeffects from diagnostic ultrasound," J. Acoust. Soc. Am. 109(5 pt. 2), 2433 (2001).

R.G. Holt, P.A. Edson, X. Yang and R.A. Roy, "Bubble and cavitation-assisted hyperthermia (BACH)," J. Acoust. Soc. Am. 109(5 pt. 2), 2432 (2001). (Invited Paper)

17th International Congress on Acoustics
Rome, Italy, 2-7 September 2001.

Holland C, Roy R, Biddinger P, Disimile C, and Caywood C. "Cavitation mediated rat lung bioeffects from diagnostic ultrasound," presented at the 17th International Congress on Acoustics, Rome, September, 2001.

Matula T, and Chen W. "A light-scattering technique for investigating ultrasound contrast agents." 17th International Congress on Acoustics 2001. Volume 4. Biomedicine. Acoustics in Medicine. Pp. 4-5.

Sapozhnikov O, Khokhlova V, Sinilo T, Filonenko E, and Crum L. "Thermal effects of sawtooth waveform HIFU in tissue phantoms." 17th International Congress on Acoustics 2001. Volume 4. Biomedicine. Acoustics in Medicine. Pp. 12-13.

Poliachik S, Chandler W, Ollos R, and Crum L. "Role of high-intensity focused ultrasound induced cavitation on platelet aggregation." 17th International Congress on Acoustics 2001. Volume 4. Biomedicine. Medical Ultrasound Bioeffects. Pp. 20-21.

Bailey M, Crum L, Miller N, Sapozhnikov O, Pishchalnikov Y, McAteer J, Connors B, and Evan A. "Localized cavitation detection in lithotripsy *in vivo*." 17th International Congress on Acoustics 2001. Volume 4. Biomedicine. Shockwaves in Medicine and Lithotripsy. Pp. 12-13.

Khokholova V, Miller N, Ollos R, Martin R, Bailey M, Mohammadian Y, and Naghavi M. "Visualization of temperature rise induced by high intensity ultrasound in tissue."

17th International Congress on Acoustics 2001. Volume 4. Biomedicine. Shockwaves in Medicine and Lithotripsy. Pp. 20-21.

Paterson R, Lifshitz D, Lingeman J, Williams J, Rietjens D, Evan A, Connors B, Bailey M, Crum L, Cleveland R, Pishchalnikov Y, Pishchalnikova I, and McAteer J. "Slowing the pulse repetition frequency in shock wave lithotripsy (SWL) improves stone fragmentation *in vivo*." 17th International Congress on Acoustics 2001. Volume 4. Biomedicine. Shockwaves in Medicine and Lithotripsy. Pp. 34-35.

Vaezy S. "High intensity focused ultrasound for therapy in medicine." 17th International Congress on Acoustics 2001. Volume 4. Biomedicine. Therapeutic Ultrasound. Pp. 2-3.

Curra F, Kargl S, Lafon C, and Crum L. "Theoretical predictions and experimental results for non-invasive disease treatment via high intensity focused ultrasound: a comparative study." 17th International Congress on Acoustics 2001. Volume 4. Biomedicine. Therapeutic Ultrasound. Pp. 20-21.

Lafon C, Vaezy S, Noble M, Kaczkowski P, Martin R, and Crum L. "A new synthetic tissue-mimicking phantom for high intensity focused ultrasound." 17th International Congress on Acoustics 2001. Volume 4. Biomedicine. Therapeutic Ultrasound. Pp. 32-33.

2001 IEEE International Ultrasonics Symposium and Short Courses
7-10 October 2001, Atlanta, GA

Chen W, and Matula T. "A light-scattering technique for investigating ultrasound contrast agents." Session 1D-5. P. 144.

Shi X, Martin R, Vaezy S, and Kaczkowski P. "Color Doppler imaging of acoustic streaming for hematoma diagnosis." Session 1G-6. P. 261.

Poliachik S, Chandler W, Ollos R, and Crum L. "Effect of high intensity focused ultrasound induced cavitation on platelet aggregation." Session 2H-2. P. 285.

Crum L. "Acoustic hemostasis." Session 2H-3. P. 286.

Lafon C, Kaczkowski P, Vaezy S, Sapozhnikov O, and Noble M. "Development and characterization of an innovative synthetic tissue-mimicking material for high intensity focused ultrasound (HIFU) exposures." Session P1J-2. P. 303.

Prokop A, Vaezy S, Noble M, Kaczkowski P, and Martin R. "A polyacrylamide gel acoustic coupling medium for therapy applications of high intensity focused ultrasound." Session P1J-5. P. 305.

Hwang J, Kimmey M, Martin R, Noble M, and Vaezy S. "High-intensity focused ultrasound induced hemostasis leading to venous occlusion and obliteration: Potential implications for the treatment of esophageal and gastric varices." Session 2K-3. P. 406.

142nd Meeting Acoustical Society of America
3-7 December 2001, Fort Lauderdale, FL

Khokhlova V, Miller N, Ollos R, Martin R, Bailey M, Mohammadian Y, and Naghavi M. Modeling and direct visualization of temperature rise induced by high-intensity ultrasound in tissue. *J Acoust Soc Am.* 2001; 110: 2613.

Lafon C, Sapozhnikov O, Kaczkowski P, Vaezy S, Noble M, and Crum L. An innovative synthetic tissue-mimicking material for high-intensity focused ultrasound. *J Acoust Soc Am.* 2001; 110: 2613.

Kaczkowski P, Vaezy S, Martin R, and Crum L. A multi-channel high-intensity focused ultrasound system for image-guided therapy. *J Acoust Soc Am.* 2001; 110: 2614.

Bailey M, Vaezy S, Yuen J, Anand A, Miller N, Kaczkowski P, and Crum L. Bubbles and acoustic image-guided high intensity focused ultrasound. *J Acoust Soc Am.* 2001; 110: 2643.

Vaezy S, Martin R, and Crum L. High intensity focused ultrasound for arrest of bleeding. *J Acoust Soc Am.* 2001; 110: 2643.

F. Honors, Awards and Prizes

During the course of this research, the Principal Investigator was awarded the Helmholtz-Rayleigh Silver Medal by the Acoustical Society of America (2000).

The paper "Treatment of uterine fibroid tumors in a nude mouse model using High Intensity Focused Ultrasound," by S. Vaezy, V.Y. Fujimoto, C. Walker, R.W. Martin, EY Chi, and L.A. Crum, was awarded first prize at the annual meeting of the American Society of Obstetrics and Gynecology (Toronto, July, 1999).

Three graduate students supported by the project earned special honors. Francesco Curra received a Fellowship to the Physical Acoustics Summer School, Monterey, California, from National Center for Physical Acoustics (NCPA) in June, 1998. Sandra Poliachik won 2nd Prize in the Student Paper Contest for Biomedical Ultrasound/Bioresponse to Vibration presentation at 141st Meeting of the Acoustical Society of America, Chicago, June 2001. Tyrone Porter was awarded a UNCF/MERCK Pre-Doctoral Fellowship.